



**Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), ODISHA)**

To,

The Managing Director
EVOS BUILDCON PRIVATE LIMITED
Plot No. M/76, Housing Board Colony, Baramunda, Bhubneshwar, Odisha
-751003

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/OR/INFRA2/429464/2023 dated 17 May 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC23B039OR192123
2. File No.	429464/508-INFRA2/05-2023
3. Project Type	New
4. Category	B
5. Project/Activity including Schedule No.	8(b) Townships and Area Development projects.
6. Name of Project	Group Housing Project "Evos Alchemy"
7. Name of Company/Organization	EVOS BUILDCON PRIVATE LIMITED
8. Location of Project	ODISHA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 26/09/2023

(e-signed)
Dr. K. Murugesan, IFS
Member Secretary
SEIAA - (ODISHA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

*(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)*





SEIAA File No. 429464/508-INFRA2/05-2023

Subject: Application of EC of M/s Evos Buildcon Pvt. Ltd for proposed Construction of 'Group Housing Project "Evos Alchemy" Over a Plot area of 27,994.03 Sq.Mt. (2.79 Ha.) with total Built-up area 2,68,099.4 SqMt located at Mouza-Raghnathpur, Tahasil-Bhubaneswar, District-Khordha -Environmental Clearance reg.

This has reference to your online proposal No. SIA/OR/INFRA2/429464/2023 dated 17.05.2023, submitted to SEIAA, Odisha for grant of Environmental Clearance (EC) for proposed Construction of Group Housing Project "Evos Alchemy" Over a Plot area of 27,994.03 Sq.Mt. (2.79 Ha.) with total Built-up area 2,68,099.4 SqMt located at Mouza-Raghnathpur, Tahasil-Bhubaneswar, District-Khordha by M/s Evos Buildcon Pvt. Ltd. filed by Sri Kalinga Keshari Rath, MD in terms of the provisions of the Environment Impact Assessment(EIA) Notification, 2006 under the Environment(Protection) Act,1986 and subsequent amendments thereto.

2.Proposal in Brief:-

Proposal No.	SIA/OR/INFRA2/429464/2023
Date of Application	17.05.2023
File No.	429464/508-INFRA2/05-2023
Project Type	EC
Category	B1
Project/Activity including Schedule No.	8(b)- Township & Area Development projects
Name of the Project	Proposal of M/s Evos Buildcon Pvt. Ltd for EC of proposed Construction of Group Housing Project "Evos Alchemy" Over a Plot area of 27,994.03 Sq.m. (2.79 Ha.) With total Built up area 2,68,099.4 Sqmt At Mouza-Raghnathpur, Tehsil-Bhubaneswar, District-Khurda
Name of the company/Organization	Applicant: M/s Evos Buildcon Pvt. Ltd; Sri Kalinga Keshari Rath, MD
Location of Project	At Mouza- Raghnathpur, Tehsil-Bhubaneswar, District-Khurda
ToR Date	11.05.2023
Name of the Consultant	M/s Grass Roots Research & Creation India (P) Ltd, Noida

DH



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986)

3. Project Details: The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEAC/SEIAA, are given as under.

- (i) This is a proposal of M/s Evos Buildcon Pvt. Ltd for EC for proposed Construction of Group Housing Project "Evos Alchemy" Over a Plot area of 27,994.03 Sq.mt. (2.79 Ha.) with total Built up area 2,68,099.4 Sqmt located at Mouza- Raghunathpur, Tahasil-Bhubaneswar, District-Khordha filed by Sri Kalinga Keshari Rath, M.D.
- (ii) ToR details: The Terms of Reference (ToR) has been granted by SEIAA vide file no SIA/OR/INFRA2/417664/2023 dated 11th May,2023 for undertaking detailed EIA Study for the project.
- (iii) Location and connectivity: The project site is located Mouza- Raghunathpur, Thana-Chandaka, Tehsil-Bhubaneswar, District- Khordha, Odisha on a land measuring 2.799 ha or 27,994.03 m². The project site is located at Plot No. 2159/2582, 2159/3516, 2160, 2161, 2164, 2165, 2165/3513, 2166, 2167, 2170, 2173, 2173/2558, 2174, 2201, 2201/2555, 2202, 2203, 2204, 2204/3512, 2205, 2205/3667, 2206, 2206/5386, 2206/4080, 2206/4080/5402, 2206/4080/5403, 2208, 2208/2790, 2208/3451, 2209, 2210, 2210/3400, 2211, 2211/5361, 2211/3619, 2212, 2212/5363, 2212/4671, 2213, 2213/5362, 2213/3620, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, Khata No. 913, 729/1024, 913, 913, 729/3916, 729/1108, 729/1023, 729/142, 729/209, 729/1366, 729/1365, 729/67, 729/1210, 220, 729/1364, 729/1212, 729/1213, 729/1365, 729/1021, 729/4057, 729/2211, 729/4057, 729/4003, 729/1661, 729/4028, 729/4029, 190 729/671, 729/952, 729/3410, 190, 729/1777, 592, 592, 729/3192, 729/1012, 729/1012, 729/3199, 592, 592, 729/1155, 267, 729/4017, 729/4017, 729/1844, 729/3855, 57, 57, 729/3922, 729/3926, Mouza-Raghunathpur, Thana- Chandaka, Tahasil-Bhubaneswar, District-Khordha, Odisha. The geographical co-ordinates of the centre of project site are 20°22'21.11"N & 85°49'59.90"E. The project site is well connected by a 30 m wide road. NH-16 is approx. 6.0 km in East direction. The nearest railway station is Bhubaneswar Railway Station approx. 0.8 km in NNE direction from the project site and Biju Patnaik International Airport is at a distance of approx. 12.5 km in SSW direction from the project site.
- (iv) The PP has obtained NOC letter from DFO, Chandaka, Bhubaneswar vide letter no 1154 dated 03.02.2023 in regards to distance of ESZ(4.35KM) from Chandaka Dampara WL Sanctuary to the proposed project.
- (v) The proposed project is approved by Bhubaneswar Development Authority (BDA) vide Application No: 22439-2023-RR, Scrutiny Date:22/03/2023. Other statutory clearances has been obtained.
- (vi) Project details: The project has four blocks i.e. four towers i.e., Tower 1 (3BHK + 4BHK), Tower 2(3BHK + 4BHK), Tower 3 (3BHK + 4BHK) and Tower 4(3BHK + 4BHK). Total Built up area for the project will be 2,68,099.4 sqm. The total population of project after proposed will be 5,302 persons (Residents + Staff + Floating population).
- (vii) Area Statement: The plot area is 2.799 ha (27,994.03 m²). The detailed area statement as follows:

Signature



S. No.	Particulars	Area (Sq. M)
i)	Total Plot area	27,994.03
ii)	Net Plot Area	27,528.36
iii)	Road affected area	465.67
iv)	Permissible Ground coverage (@40% of the net plot area)	11,011.34
v)	Proposed Ground coverage (@39.81% of the net plot area)	10,959.10
vi)	Permissible F.A.R (@6.0 of the Net plot area)	1,65,170.16
vii)	Proposed F.A.R (@ 5.95 of Net plot area)	1,63,871.47
viii)	Non F.A.R (Balcony, Parking, etc.)	1,04,227.93
ix)	Total Built-up Area (7 + 8)	2,68,099.4
x)	Height of the Building (m)	151

- (viii) Water requirement & Waste Water Generation & Management: The total water requirement approx. 704 KLD out of which total domestic water requirement is 674 KLD. The total fresh water requirement is approx. 443 KLD which will be met from ground water augmented with rain water. It is expected that the project will generate approx. 614 KLD of wastewater. The wastewater will be treated in an onsite STP of 736 KLD capacity. The treated effluent will be reused for flushing and horticulture. The PP has submitted that the surplus treated waste water discharge to drain will be 250KLD in non-monsoon period and 261KLD in monsoon period. Surplus treated waste water will be discharged to external sewer with prior permission from competent authority
- (ix) Rainwater: Peak hourly rainfall has been considered as 140 mm/hr. A recharging pit of 6m x 3m x 3.5m depth will be constructed for recharging the water. Inside the recharge pit, a recharge bore will be constructed having adequate diameter and depth. The bottom of the recharge structure will be kept 5 m above this level. Total of 08Nos. of rain water harvesting pits are proposed for artificial ground water recharge.
- (x) Parking details: As per local bye-laws, total parking required is 1650 ECS and total parking proposed is 1702 ECS. Total No. of Parking for Residents = 1547 ECS and 10% of total Parking proposed for visitors parking = 155 ECS. Total No. of ECS Parking=1547+155 =1702 ECS. Total parking provided for residential area-63808.90Sqmt.
- (xi) Power requirement: The power supply will be supplied by State Electricity Board. The requirement load for the project will be 6142 kVA. There is provision of 2 nos. of DG sets total 750 kVA capacity for power back up. The DG sets will be equipped with acoustic enclosure to minimize noise generation and adequate stack height for proper dispersion.
- (xii) Solid waste generation: During the operation phase, waste will comprise of domestic, horticultural & STP waste. The solid waste generated from the project will be approx. 2508 kg per day (@ 0.5 kg per capita per day for residents, @ 0.15 kg per capita per day for the

Day



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986)

- visitor, 0.25 kg per capita per day for the staff and landscape waste @ 0.2 kg/acre/day) and STP sludge.
- (xiii) Greenbelt area: The PP has submitted revised greenbelt area to be provided will be – 13,218sqm. (48% of the net plot area). Total greenbelt provided on mother earth – 7003.80sqm. (25.40% of the plot area) and Total greenbelt provided on stilt floor slab & podium floor slab – 6215.00sqm.(22.6% of the net plot area).
- (xiv) Traffic details: The PP has submitted that the present traffic V/C ratio is 0.21 (LOS B) and forecasted traffic, after 10 years V/C ratio is 0.58 (LOS C with proposed project) and 0.56 (LOS C without project) for the studied considering requisite traffic growth. The project itself would not hinder the traffic flow. However, the natural traffic flow will be very high on this road after 10 years.
- (xv) Project cost: Total Cost of the project is estimated to be Rs. 1137.00 Crores. EMP Cost- Rs.149.00 Lakhs as Capital Cost & Rs.49.25 lakhs/annum as recurring cost.
- (xvi) The Environment consultant M/s Grass Roots Research & Creation India (P) Ltd, Noida along with the proponent made a presentation on the proposal before the Committee on 13.06.2023.
- (xvii) The proposed site was visited by the sub-committee of SEAC on 14.07.2023. Following are the observations of the sub-committee:
- It was observed that the site is adjacent to the Jaydev Vihar Nandan Kanan main road having access to site and there is a drain at side of the road.
 - No construction work has been carried out at the site.
 - A nallah was seen at a distance from the site where the excess treated water to be discharged through the road side drain. However, the underground drain which crosses the road to other side of road is not fully connected and needs to be connected. The PP had shown relevant permission to construct the drain till it falls to the Nallah. They were asked to submit the documents showing the drain connection and permission obtained from the authority. They need to start drain construction at priority before building construction.
- (xviii) The PP submitted ADS and also furnished the compliance to observations of Sub-Committee of SEAC on 22.07.2023.
4. This proposal conforms to the item no. 8(b)- 'Township & Area Development projects' in the schedule of EIA Notification, 2006 as amended time to time, and the Building & Construction project falls under Category B1 as the built-up area of the project is ≥ 150000 Sqmt.
5. The SEAC have appraised the proposal for consideration of EC in its meeting dated 31.07.2023 and recommended for grant of Environmental Clearance for the project valid for a period of 10 years, stipulating various conditions.
6. The matter was further examined in the State Environment Impact Assessment Authority (SEIAA), Odisha in its 136th meeting held on 18.09.2023, recommendation of SEAC and in accordance with the EIA Notification, 2006 and further amendments thereto. After detailed deliberation in the matter, the Authority decided to grant EC subject to additional specific conditions and conditions as recommended by SEAC.

24



7. Environmental Clearance (EC) is granted to the project valid for a period of 10 years under the provisions of EIA Notification No. S.O. 1533 (E) dated the 14th September, 2006 of the Government of India in the erstwhile Ministry of Environment and Forests, as amended from time to time for **“proposed Construction of “Group Housing Project “Evos Alchemy” Over a Plot Area of 27,994.03 Sq.Mt.(2.79 Ha.) with total Built-up Area 2,68,099.4 SqMt located at Mouza- Raghunathpur, Tahasil-Bhubaneswar, District-Khordha by M/s Evos Buildcon Pvt. Ltd.”** with the following stipulations, environmental conditions and safeguards.

A. STIPULATIONS AT A GLANCE:

- 7.1 The following thrust area of environmental sustainability shall be adhered to by the project proponent comprising of **15 parameters and EC stipulations** mentioned against each parameter:

Sl.No.	Parameters	EC Stipulations
(a)	Brief description of the project	<ul style="list-style-type: none">➤ Group Housing Project “Evos Alchemy” Over a Plot Area of 27,994.03 Sq.Mt.(2.79 Ha.) with total Built-up Area 2,68,099.4 SqMt located at Mouza- Raghunathpur, Tahasil-Bhubaneswar, District-Khordha.➤ Estimated Population of the Project- 5302 Persons
(b)	Environmental impact on project land	<ul style="list-style-type: none">➤ Total plot area- 27,994.03Sqmt➤ Total Built-up Area- 2,68,099.4 Sqmt.➤ FAR Area: - 1,63,871.47 Sqmt➤ Total No. of Dwelling Units-750Nos.➤ Height of the Building-151 meter
(c)	Water Requirement	<ul style="list-style-type: none">➤ Total water requirement-704KLD➤ Total fresh makeup water requirement-443KLD
(d)	Waste Water Treatment	<ul style="list-style-type: none">➤ STP Capacity of 736KLD to be installed.➤ Net Zero Liquid Discharge (ZLD) from project site during non-monsoon period. During monsoon period, only surface run off water is allowed to be discharged to nearest drain after getting NOC from BMC/competent authority.
(e)	Drainage	<ul style="list-style-type: none">➤ PP is required to submit site specific drainage plan and NOC from BMC/competent authority for discharge

549

**STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA**

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986

		of storm water to the nearest drain.
(f)	Ground water	<ul style="list-style-type: none">➤ Not allowed during construction.➤ After Construction with permission from WRD/CGWB.➤ 08nos.of recharging pits of 63cum capacity to be constructed within the premises.
(g)	Solid Waste Generation & Management	<ul style="list-style-type: none">➤ Organic Waste Converter (OWC) of adequate capacity to be installed within the premises to treat minimum 2508 kg/day compostable waste.➤ Inorganic waste (inerts) to be disposed off through authorized vendor.
(h)	Air Quality & Noise levels	<ul style="list-style-type: none">➤ Maximum ambient noise level of 55dB to be maintained during construction.➤ DG Set of capacity 2x750kVA to be installed. Stack height to be provided as per norms of CPCB.
(i)	Energy Conservation	<ul style="list-style-type: none">➤ Solar power to be installed-5% minimum of total power required.➤ Flyash brick, AACs, other environmental friendly bricks & blocks to be used-20%
(j)	Traffic Circulation	<ul style="list-style-type: none">➤ Minimum width of the access road (right of way) shall be 30m-45m as height of building is above 60m.➤ 63808.90 Sqmt/1702ECS parking space to be provided with e-vehicle charging facility.
(k)	Green Belt Development	<ul style="list-style-type: none">➤ 13,218sqm. (48% of Plot area) to be raised before occupancy.
(l)	Disaster /Risk Management Plan	<ul style="list-style-type: none">➤ Firefighting system shall be provided as per the fire NOC.
(m)	Socio Economic & CSR	<ul style="list-style-type: none">➤ A First Aid Room & house owner society office with assembly hall, club house to be provided in the project.
(n)	Environment Management Plan (EMP)	<ul style="list-style-type: none">➤ EMP cost: Rs.149.00 Lakhs as capital cost & Rs.49.25Lakhs as recurring cost to be utilized each year.

DH



(o)	Any other related parameter of the project	➤ The Project Proponent shall convert the land to Gharabari and shall take the ownership of the land if not already taken.
-----	--	--

7.2 Any change in the EC stipulations of the parameters above shall require prior approval of SEIAA. The PP is required to obtain amendment in EC before making any changes, failing which it will be construed as violation under Environment (P) Act, 1986. The Project Proponent shall ensure submission of all permission/documents as applicable to the project for monitoring of compliance of EC conditions. These certificates/permission/documents should be submitted by the PP to SPCB, BMC/BDA, SEIAA, Odisha and to the Integrated Regional Office of MoEF & CC, Govt. of India who can assess / evaluate / monitor the compliance of conditions of EC order of the project to ensure sustainable environmental management due to the proposed project.

7.3 The SPCB, Odisha shall ensure that there is no change in the project w.r.t. the EC stipulations mentioned against each 15 parameters before giving 'Consent to Operate' to this project and by the local urban bodies and the BMC/BDA while giving the 'Occupancy Certificate' to this project.

B. SPECIFIC ENVIRONMENTAL CONDITIONS AND SAFEGUARDS WHICH NEED TO BE COMPLIED WITH BY THE PROJECT PROPONENT BEFORE BREAKING OF LAND:

7.4 Statutory Compliance:

- The Sub-Committee of SEAC during its visit observed that a Nallah was seen at a distance from the site where the excess treated water to be discharged through the road side drain. However, the underground drain which crosses the road to other side of road is not fully connected and needs to be connected. The proponent shall start drain construction at priority before building construction.
- This EC is subject to the condition that the PP shall bear the cost of EIDP as approved by the competent authority.
- The Proponent shall also obtain permission/NOC from Executive Engg. (PHD) and / or from the appropriate authority for disposal of excess STP treated water to the nearest drain and also submit the same to SEIAA, Odisha before start of construction work. Also, in case of the connecting drain passing through others land (Govt. or Private land), the Proponent shall obtain the permission and possession as the case may be.
- The approval of the Competent Authority shall be obtained in regard to structural safety of buildings against earthquake, adequacy of fire-fighting equipment as per National Building Code including protection measures from lightning.

DH



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986)

- (v) The project proponent shall obtain all necessary clearance/ permission from all concerned agencies including BMC/BDA authority before commencement of work in accordance with the local building byelaws.
- (vi) The proponent shall obtain permission from concerned Fire Safety Authority.
- (vii) The Construction and Demolition waste to be generated during demolition of existing structure shall be managed as per Construction and Demolition Waste Management Rules, 2016.
- (viii) The proponent shall implement the Pollution Control Measures and safeguards as proposed in the Environment Management Plan (EMP) of project report.
- (ix) Rain water harvesting shall be designed considering the maximum rainfall of a year and accordingly, number of RWH shall be implemented.
- (x) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable to the project by the project proponent from the respective competent authorities.
- (xi) The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the SEIAA, Odisha. The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the Regional Office of MoEF & CC, Bhubaneswar.
- (xii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tahsildar's office for 30 days.

C. SPECIFIC ENVIRONMENTAL CONDITIONS AND SAFEGUARDS WHICH NEED TO BE COMPLIED WITH BY THE PROJECT PROPONENT DURING CONSTRUCTION PHASE:

- 7.5 Water Requirement:** (i) The project shall adopt & implement net 'Zero liquid discharge' principle and shall maximize recycling and reuse of treated waste water generated in the project. All waste water generated shall be treated in the STP and the treated waste water shall be recycled and reused within the project so as to minimize extraction of ground water. Also ground water recharge by surplus waste water in the project plot area shall be maximized. For discharge of any quantity of treated waste water to outside the project area

14



premises, the exact location of drain, etc. to which such discharge will be made and permission of competent authority allowing such discharge have to be reported. The layout of pipe lines, etc to take the waste water to the approved discharge point has to be elaborately depicted on map and submitted. The EC is liable to be revoked if such report is not submitted by PP.

- (ii) No ground water shall be extracted for the project work at any stage during the construction phase without obtaining the permission from the Water Resources Department, Govt. of Odisha/ CGWB.
- (iii) A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- (iv) When the public water supply will be available adjacent to/ in the vicinity of the proposed project in future, the PP shall avail it following due procedure of the Govt if the concerned authority agrees and dispense with the drawl of ground water except one borewell for emergency purpose. The PP shall take up suitably for the purpose with the concerned authority of the Government.
- (v) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.

7.6 Disposal of Solid Waste: The solid waste shall be duly segregated into biodegradable and non-biodegradable components and handled in separate areas earmarked for segregation of solid waste, as per Solid Waste Management Rules, 2016. The biodegradable waste generated shall be utilized through the Organic Waste Converter to be installed at the project site. Solid waste disposal shall be by micro composting of all bio degradable waste inside the premises. The inert waste (bio-non degradable components like plastics) shall be disposed off as per norms only at authorized site. The mode of disposal of all such waste at any approved site shall be reported, even if it is handed over to any authorized vendor. Construction & Demolition (C&D) waste from the project (debris) shall be segregated and managed as per C&D Waste Management Rules, 2016 and the detailed mode of disposal to the final disposal point shall also be reported. The PP shall formulate a concrete implementation plan and submit a report showing on the layout plan of the final disposal point of biodegradable waste, non-biodegradable waste and debris generated during construction. The EC is likely to be revoked if such report is not submitted by PP.

7.7 Air Quality Management and Noise Management: (i) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures

DM



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com
statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment
(Protection) Act, 1986)

shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.

- (ii) All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- (iii) Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding mandatory implementation of dust mitigation measures for construction and demolition activities for projects requiring environmental clearance shall be complied with.
- (iv) Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000 for the project. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

7.8 Natural Drainage: (i) The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other Sustainable Urban Drainage Systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.

- (ii) The permission from competent authority will be obtained to discharge the excess storm water to drain if any. The proponent shall renovate the existing drain to accommodate the discharge and maintain it perennially.

7.9 Provision for construction labour: (i) Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

- (ii) A First Aid Room shall be provided in the project both during construction and operations of the project.

Handwritten signature



7.10 Top Soil Preservation and Reuse: Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

D. SPECIFIC ENVIRONMENTAL CONDITIONS AND SAFEGUARDS WHICH NEED TO BE COMPLIED WITH BY THE PROJECT PROPONENT DURING OPERATION PHASE:

7.11 Water Requirement and Rain Water Harvesting:

- (i) For meeting the total fresh water requirement for the project upto maximum 443KLD (Total water requirement -704KLD (approx.) i.e. first time before recycle) from ground water source, necessary prior permission has to be obtained from the Water Resources Department, Govt. of Odisha/ CGWB, failing which no ground water is allowed to be tapped. The PP shall install tamper proof digital flow meter at all water drawal and intake points for the project.
- (ii) The PP shall install one piezometer for ground water level monitoring and water level data shall be made available to CGWA through web portal as a part of six monthly compliance report. The PP shall comply with all conditions laid down in the NOC of CGWB.
- (iii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Integrated Regional Office, MoEF&CC and SEIAA, Odisha along with six monthly Monitoring reports.
- (iv) The PP shall comply with all conditions as specified by CGWB/ Water Resources Department, Govt. of Odisha for the project for abstraction of ground water.
- (v) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- (vi) Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.
- (vii) Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- (viii) Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering. The proponent shall also obtain permission from Water Resources Department, Govt. of Odisha for drawal of water.
- (ix) The proponent shall keep one bore well as standby domestic water source once municipal water supply is made available in the project area.
- (x) A complete plan for rainwater harvesting at the proposed site shall be drawn up and

DH



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986)

implemented. The complete rainwater harvesting plan shall be submitted to SEIAA within one month from this day. As proposed, 08 nos. of rain water harvesting pits for artificial ground water recharge shall be installed as per CGWB guidelines.

7.12 Solid Waste Management:

- (i) The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- (ii) Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (iii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into bio-degradable and inert materials. Bio-degradable waste shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from the project will be sent to dumping site.
- (iv) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- (v) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the Municipal Solid Waste generated from project shall be obtained.

7.13 Sewerage Treatment Plant:

- (i) STP of 736 KLD capacity shall be installed before start of the operation phase of the building. Treatment of 100% grey water by decentralized treatment should be done. The treated waste water from STP shall be recycled / reused to the maximum extent possible. Flushing, washing, watering of the lawns and gardening, filter backwash, cleaning of the floors, etc. facilities are to be met by recycled water. Discharge of unused treated waste water shall conform to the norms and standards of the Odisha State Pollution Control Board. Necessary measures should be taken to mitigate the odour problem from STP. The sewage treatment plant shall be made functional before the completion of Building Complex. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- (ii) Excess treated water shall be discharged to the drain only after getting the permission from the concerned authority. The proponent shall renovate the existing drain to accommodate the discharge and maintain it perennially.
- (iii) A certificate from the competent authority shall be obtained for discharging treated effluent/ untreated effluents into the Public sewer/disposal/drainage systems along with the final

Signature



disposal point.

- (iv) The wastewater generated shall not be allowed to mix with storm water. The Project Proponent shall ensure separate approved line for discharge of treated waste water and that of storm water. No sewage or untreated effluent water would be discharged through storm water drains.
- (v) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
- (vi) The proponent shall obtain permission from the concerned authority to discharge the liquid waste to any drain i.e. the competent authority of the drain and "Nala" before commencement of any activity at the project site.

7.14 Energy Conservation:

- (i) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- (ii) Energy conservation measures like installation of CFLs / LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- (iii) The proponent shall use renewable energy/ solar power of at least 5% of projected power requirement for the building premises.
- (iv) Solar energy shall be installed to meet electricity generation equivalent to 5% of the demand load/as proposed or as per the state level/ local building bye-laws requirement, whichever is higher & feasible. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- (v) Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher.

24



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986)

- (vi) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- (vii) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project shall be submitted.

7.15 Air Quality Management and Noise Management:

- (i) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- (ii) For indoor air quality the ventilation provisions as per National Building Code of India shall be provided.

7.16 Greenbelt Development:

- (i) Green-belt, lawn area & avenue plantation of trees over the area of 13,218sqm. (48% of plot area) shall be done using native tree species/shrubs improving greenery & keeping in view aesthetics considerations in the whole complex. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Professional landscape architects should be engaged to design the green layout to provide for multi-tier plantation and green fencing all around, mitigating various environmental pollutants like dust, noise, emissions etc. A minimum of 1 tree for every 80 Sqmt of land should be planted and maintained.
- (ii) Rainwater from open spaces shall be collected and reused for landscaping and other purposes. Roof top rain water harvesting shall be adopted for the proposed Buildings. Rainwater harvesting at the proposed site shall be implemented. Before recharging the surface runoff, pre-treatment must be done to remove suspended matter, oil and grease.

7.17 Parking, Traffic & Transportation:

- (i) A comprehensive mobility plan, as per Ministry of Urban Development best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - Traffic calming measures
 - Proper design of entry and exit points.
 - Parking norms as per local regulation

34



- (ii) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 01 km radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 01 km radius of the site and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- (iii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- (iv) A dedicated entry/exit and parking shall be provided for commercial activities.
- (v) Barricades shall be provided around project boundary.
- (vi) Speed of the vehicles shall be restricted upto 15 kmph by erecting speed bumps at regular intervals at project site and proper signage shall be provided for guided vehicular movement and speed restrictions.
- (vii) Parking shall be prohibited on the access road to the proposed project site.
- (viii) Parking in terms of ECS & space, both for 4 wheelers / 2 wheelers for the project shall be provided as per the norms considering the residents and visitors in the project.
- (ix) Footpath shall be seamless with sufficient width.
- (x) No vehicles shall be allowed to stop and stand in front of the gate on main access.
- (xi) A buffer of minimum 10 m shall be maintained between the entry/exit gate and the road to avoid traffic congestion.

7.18 Environment Management Plan: (i) The company shall have a well laid down environmental policy duly approve by the Board of Directors/project authority. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the Integrated Regional Office, MoEF&CC, Govt. of India, Bhubaneswar as well as SEIAA, Odisha as a part of six-monthly report.

- (ii) An Environmental Management Plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like sewage

24



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com

statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment (Protection) Act, 1986)

treatment plant, landscaping, rain water harvesting, energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy, etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.

- (iii) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Integrated Regional Office, MoEF&CC, Govt. of India, Bhubaneswar as well as SEIAA, Odisha along with the Six Monthly Compliance Report.

7.19 Half-yearly Compliance Report: (i) It shall be mandatory for the project management to submit six (06) monthly compliance reports on post environmental monitoring in respect of the stipulated terms and conditions in this Environmental Clearance to the State Environment Impact Assessment Authority (SEIAA), Odisha, SPCB & Integrated Regional Office of the Ministry of Environment & Forest, Odisha, the respective Zonal Office of CPCB and the SPCB in hard and soft copies on 1st June and 1st December of each calendar year. The proponent shall also upload the compliance report including results of monitored data, as applicable in the website of the Ministry for monitoring of EC Conditions. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

- (ii) Officials from the Integrated Regional Office of MoEF&CC, Bhubaneswar/SPCB, Odisha who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection.

- (iii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Integrated Regional Offices of MoEF&CC, Govt. of India by E-mail.

E. MISCELLANEOUS ENVIRONMENTAL CONDITIONS WHICH NEED TO BE COMPLIED WITH BY THE PROJECT PROPONENT:

7.20 Other Conditions:

- (i) The project proponent shall inform the Integrated Regional Office, MoEF&CC, Govt. of India, Bhubaneswar as well as SEIAA, Odisha the date of financial closure and final

54



- approval of the project by the concerned authorities, commencing the land development work and start of operation by the project.
- (ii) No further expansion/revision or modifications in the project shall be carried out without prior approval of SEIAA, Odisha. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEIAA, Odisha.
- (iii) The SEIAA, Odisha reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner. The company in a time bound manner shall implement these conditions.
- 8 All EC condition stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.
- 9 Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Yours faithfully,


Member Secretary

Copy to:

1. **Joint Secretary (IA Division)**, Ministry of Environment, Forests and Climate Change Govt. of India, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110003 for information.
2. **Additional Chief Secretary**, Forests & Environment Dept., Government of Odisha for information.
3. **Secretary**, SEAC, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-VIII, Bhubaneswar for information.
4. Guard file for record/Website/Parivesh Portal.

Copy for information and necessary action:

1. **Member Secretary**, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, Bhubaneswar.
2. **Deputy D.G.Forest**, Integrated Regional Office (IRO), Ministry of Environment & Forests, A-31, Chandrasekharpur, Bhubaneswar.





STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, ODISHA

5RF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-3510075, Email: seiaaodisha@gmail.com
statutory body constituted by Ministry of Environment, Forest & Climate Change under Environment
(Protection) Act, 1986)

3. **Regional Director**, CGWA, South Eastern Region, Bhujal Bhawan, Khandagiri, Bhubaneswar, Pin-751030.
4. **Vice Chairman**, BDA, Bhubaneswar Development Authority, Akash Shova Building, Sachivalay Marg, Bhubaneswar, Pin-751001.
5. **Executive Engineer**, Bhubaneswar Municipal Corporation, Janpath Road, Unit-9, Bhubaneswar, Pin-751022.
6. **Member Secretary**, OWSSB, Unnati Bhawan, 2nd floor, Satya Nagar, Bhubaneswar, Pin-751007.
7. **Engineer-in-Chief**, PHD, Unnati Bhawan, 1st floor, Satya Nagar, Bhubaneswar, Pin-751007.
8. **Collector, District Magistrate**, Khordha, District-Khordha.

14


Member Secretary

